



Technical Data

# CABLOC®

## Absorbent Polymers

**APPLICATIONS:**

- Water blocking tapes
- Laminates
- Spill control
- Medical waste
- Filtration

---

---

### SPECIFICATIONS:

Particle Size Distribution (µm)	100 – 300
Absorption Capacity (g/g deionized water)	> 300
Bulk Density (g/l)	400 - 800
Moisture (%)	< 7

**Chemistry:** Sodium acrylate polymer  
**Appearance:** Free flowing white granules  
**Storage:** Indefinite providing unopened containers/bags stored in dry conditions  
**Packaging:** Multi-wall bags and supersacks

Technical information is based on current knowledge and is offered to inform and advise subject to your further investigation and verification. Modifications may be made in the interest of technical improvement. No warranties are expressed or implied as the use of the product is beyond our control.



Stewart Superabsorbents LLC  
200 Commerce Drive  
Taylorsville, NC 28681 United States of America  
T: +1 828 632 5664 F: +1 828 632 5771  
[www.stewartsuperabsorbents.com](http://www.stewartsuperabsorbents.com)  
A member of The Stewart Group of Companies

**Richard Ellis**  
Business Development Manager  
Cable Materials Inc.  
T: +1 678 691 6398  
M: +1 678 848 4805  
E: [rellisga@cablematerialsinc.com](mailto:rellisga@cablematerialsinc.com)  
[www.cablematerialsinc.com](http://www.cablematerialsinc.com)